



HY018-1992				HY018-1992			
— —	"	"	3	"	"	"	"
— —	"	"	"	"	"	"	"
3. 1	3. 5						
— —	"	"	"	"	"	"	"
— —	"	"	"	"	"	"	"
— —	"	"	"	"	"	"	"
3. 1	3. 14						
"	"	"	"	"	"	"	"
"	"	"	"	"	"	"	"
5. 1	5. 6						
— —	"	"	"	"	"	"	"
				4. 1. 1	4. 1. 9		

1

2

GB/T 9969  
GB/T 13306  
GB/T 13384

3

3.1

water sample

3.2

structure of opening

3.3

structure of closing

3.4

elastic element

3.5

HY/T XXXXXXXX

trigger element

4

5. 1

**6.2**

1. 5                    30min

5. 2

**6.3**

1

2min

1

5. 3

**6.4**

**6.4.1**

150

150

5. 4. 1

**6.4.2**

1000

5. 4. 2

**6.5**

100N

5. 5

**6.6**

200N

5. 6

7

**7.1**

1

1

1		5.1	6.1		
2		5.2	6.2		
3		5.3	6.3		
4		5.4	6.4		
5		5.5			

—  
—  
—  
—

**8.2**

**8.2.1** GB/T 13384

**8.2.2**

- a)
- b)
- c) GB/T 9969
- d)

**8.2.3**

- a)
- b)

c)

**8.2.4**

**8.2.5**

**8.3**

**8.4**

80%

---